Fuel Truck B208 Maintenance Checklist



		A LOCKHEED MARTIN COMPANY
Inspection Date:		
Performed By:		
Next Inspection Due:		
Condition Assessment Rati	_	
Satisfactory	S	
Unsatisfactory	X	
Comment Not In Service	C N/S	
Not Applicable	N/A	
•		
General Condition Assessment	Rating	Notes
JETA System Overall Condition		
JETA System Overall Condition Mechanical		
Fittings/Piping/Valves/Couplers/Swivels/Ai		
r Eliminators/Relief Valves		
Signs/Labels		
Dust Covers/Caps/Tethers		
Sampling Ports		
Underwing Hose/Reel		
Officer wing Hose/ Reef		
Underwing Aircraft Fueling Nozzle		
_		
Overwing Hose/Reel		
Overwing Aircraft Fueling Nozzle		
Single Point Bottom Loading Connection		
(RH)		
Single Point Bottom Loading Connection		
(LH) Filter Drum- Water Defense System-Slug		
Valve		
Recirculation Connections		
Electronic Deadman/Reel/Wire		
Liectionic Deadman/Reel/ Wife		
Unitronics Control Panel/HMI		
Hose Reel Rewind Buttons		Calibration Duo.
Product Supply Pressure Gauge (LH)		Calibration Due:
		Calibration Due:
Pump/Nozzle Pressure Gauge		
Total Tank Volume Indicator Gauge		
Total Falls Volume mulcator Gauge		Calibration Due:
Differential Pressure Indicator		
		Calibration Due:
LC Flow Meter		
Emergency Stop Switch (s)		
Grounding Connections, Static Reels,		
Cables, and Clamps		
Service Items	Performed? Y/N	Notes: M=Monthly/Q= Quarterly/A=Annually
Underwing Aircraft Nozzle Filter/Screen-	,	(M)
Clean/Inspect		

Overwing Aircraft Fueling Nozzle	(M)
Filter/Screen-Clean/Inspect	
Filter Drum-Facet (CM-33SB-5) (3) Facet	(A) Recorded DP(PSI) Due:
(SM-436FB-5) (1)-Filter Change	
	(M) Recorded DP(PSI)
Filter Drum-Differential Pressure Read	
	(M)
Filter Drum-Water Defense System Test	
Inspect Truck Tank Interiors	(A)
Contamination & epoxy coating condition	
Inspect Refueling Truck Vents & Dome	(M)
Covers	
Inspect Refueling Truck Trough Drains	(M)
Check for plugging	
	(M)
Hose Reels-Lubrication Points- Grease ALL	
	(M)
Deadman Control-Test	
	(M)
Emergency Stop Switch-Test	
	(M)
Inspection Date Label Replacement-ALL	
ļ	
Cianatura	
Signature:	
Drint	
Print:	
Date:	
Date.	